

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	40	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and rule \$1 same service with type and customer near4 service and billing with rule\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 23:54
L2	0	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and service with type and customer near4 service and billing with rule\$1 with (telephone or internet or computer) with (use or usage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 23:55
L3	56	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and service with type and customer near4 service and billing with rule\$1 and (telephone or internet or computer) with (use or usage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 23:55
L4	29	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and service with type and customer near4 service and billing with rule\$1 and (telephone or internet or computer) with (use or usage) and rule near3 set\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 00:20
L5	23	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and service with type and customer near4 service and billing with rule\$1 and (telephone or internet or computer) with (use or usage) and rule adj set\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 00:21

L6	23	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and service with type and customer near4 service and billing with rule\$1 and (telephone or internet or computer) with (use or usage) and rule adj set\$1 and (algorithm\$1 or formula \$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 00:28
L7	4	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and service with type and customer near4 service and billing with rule\$1 with set\$1 and (telephone or internet or computer) with (use or usage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 00:29
L8	0	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and service with type and customer near4 service and billing with rule\$1 and (telephone or internet or computer) with (use or usage) and rule adj set\$1 and (algorithm\$1 or formula \$2) with (each or every or per) near3 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 00:31
L9	0	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and service with type and customer near4 service and billing with rule\$1 and (telephone or internet or computer) with (use or usage) and rule adj set\$1 and (algorithm\$1 or formula \$2) same (each or every or per) near3 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 00:31

L10	0	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and service with type and customer near4 service and billing with rule\$1 and (telephone or internet or computer) with (use or usage) and rule adj set\$1 and (algorithm\$1 or formula \$2) same (each or every or per) with event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 00:31
L11	13	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and service with type and customer near4 service and billing with rule\$1 and (telephone or internet or computer) with (use or usage) and rule adj set\$1 and (algorithm\$1 or formula \$2) same (each or every or per) with (service or event\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 00:32
L12	71	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and billing with rule\$1 and (telephone or internet or computer) with (use or usage) and rule adj set\$1 and (algorithm\$1 or formula \$2) same (each or every or per) with (service or event\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 00:32
L13	43910200	not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 00:33
L14	1	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and billing with rule\$1 and (telephone or internet or computer) with (use or usage) and rule adj set\$1 and (algorithm\$1 or formula \$2) same (each or every or per) with (service or event\$1) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 00:33

L15	9	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and rule \$1 same service with type and customer near4 service and billing with rule\$1 same (formula\$2 or algorithm\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 00:34
L16	0	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and rule \$1 same service with type and customer near4 service and billing with rule\$1 same (formula\$2 or algorithm\$1) and discount near3 ratio\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 00:42
L17	0	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and rule \$1 same service with type and customer near4 service and billing with rule\$1 and discount near4 ratio\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 00:42
L18	0	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and service with type and customer near4 service and billing with rule\$1 and (telephone or internet or computer) with (use or usage) and discount adj ratio \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 00:42
L19	2	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and service with type and customer near4 service and billing with rule\$1 and (telephone or internet or computer) with (use or usage) and ratio\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 00:43
L20	20	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and rule \$1 same service with type and customer near4 service and billing with rule\$1 and threshold\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 00:44

L21	0	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and rule \$1 same service with type and customer near4 service and billing with rule\$1 same threshold\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 00:45
L22	54	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and service with type and customer near4 service and billing with rule\$1 and (telephone or internet or computer) with (use or usage) and calculat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 00:50
L23	1	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and service with type and customer near4 service and billing with rule\$1 and (telephone or internet or computer) with (use or usage) and calculat\$5 with service near4 type\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 00:51
L24	2	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and service with type and customer near4 service and billing with rule\$1 and (telephone or internet or computer) with (use or usage) and calculat\$5 and price near4 plan\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 01:21
L25	2	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and service with type and customer near4 service and billing with rule\$1 and (telephone or internet or computer) with (use or usage) and price near4 plan \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 01:23

L26	4	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and service with type and customer near4 service and billing with rule\$1 and (telephone or internet or computer) with (use or usage) and pric\$3 near4 plan \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 01:23
L27	0	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and service with type and customer near4 service and billing with rule\$1 and (telephone or internet or computer) with (use or usage) and pric\$3 near4 plan \$1 and (rate or rating) near3 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 01:30
L28	14	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and service with type and customer near4 service and billing with rule\$1 and (telephone or internet or computer) with (use or usage) and pric\$3 near3 event \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 01:31
L29	0	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and service with type and customer near4 service and billing with rule\$1 and (telephone or internet or computer) with (use or usage) and claculat\$3 with pric\$3 near3 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 01:33
L30	1	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and service with type and customer near4 service and billing with rule\$1 and (telephone or internet or computer) with (use or usage) and calculat\$3 with pric\$3 near3 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 01:33

L31	193	("5852812").URPN.	USPAT	OR	OFF	2009/06/20 01:34
L32	1	("5852812").URPN. and calculat\$3 with pric\$3 near3 event\$1	USPAT	OR	OFF	2009/06/20 01:35
L33	13	(@ad<"19991228" or @pd<"19991228" or @rlad<"19991228" or @prad<"19991228") and service with type and customer near4 service and billing with rule\$1 and (telephone or internet or computer) with (use or usage) and pric\$3 near3 event \$1 and "705"/\$\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 01:47
L34	43	("6,553,350" or "6,078,897")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/20 01:55

**6/ 20/ 2009 2:02:30 AM**

**C:\ Documents and Settings\ fnelson1\ My Documents\ EAST\ Workspaces\ 09742660.wsp**